SYCAMORE

24V Kitchen & Bedroom Lighting 2025

Illuminating Spaces

KITCHEN | BEDROOM | BATHROOM

About us

Sycamore Lighting is a leading manufacturer and supplier of cutting-edge LED lighting and control systems, specialising in the KBB lighting sectors. Since our founding in 1998, we've built a reputation for exceptional customer service and innovative product solutions.

Thanks to substantial investments in advanced technologies, skilled personnel, and state-of-the-art testing and training facilities, Sycamore has successfully expanded into diverse market sectors. We continue to lead the way as a trusted manufacturer and supplier of high-quality lighting and control systems across the UK and Europe.

Illuminating Spaces
KITCHEN I BEDROOM I BATHROOM

Illuminating Spaces

Lighting is one of the most influential elements in shaping the atmosphere of a room.

In spaces like the kitchen, bedroom, and bathroom, it can transform the mood, enhance functionality, and even affect how spacious the area feels.

Whatever your needs, our experts are here to help you create a space that works perfectly for you.

Technical & Design Team

Our technical and design team brings years of experience in the KBB industry. They manage our technical helpline, offering fast, clear, and effective responses to both client and installer queries. In addition, they specialise in designing bespoke lighting schemes, whether for a showroom or a client's kitchen, bedroom, or bathroom project, providing tailored solutions to meet unique needs.

Our team also prioritises customer education, offering on-site product demonstrations or virtual meetings to guide designers through our comprehensive range of offerings.

Three-Step Design Service

Our three-step design service is another cornerstone of our technical support. Upon receiving a brief, the team meticulously reviews the requirements and produces a comprehensive quotation, complete with product codes. This not only saves our clients time but also ensures they receive the best products for their projects.

To take advantage of our popular three step design service, follow the instructions below, or fill in our dedicated online form on our website.

1. Send your plan, with a short brief to **tech@sycamoreLED.com**

2. Our experts design the perfect lighting scheme for your project

3. Receive a quotation, including a full list of products ready to order!

Click here to visit
our online form

Bespoke Lighting Kits & Contract Project Work

We specialise in creating bespoke lighting kits tailored to our customers' needs.

We also offer high-quality light fittings for the Contract Lighting Market at affordable prices. If you have a large lighting project and can't find exactly what you need, simply contact our sales team.

Our commitment to exceptional service ensures we'll be with you every step of the way, from concept to completion of your lighting project.

triglow

Introducing Our New Triglow LED Lighting Collection!

Easily switch between warm white, natural white, and cool white at the flick of a built-in switch — no extra tools or fuss.

Whether you're setting the mood or matching your space's vibe, Triglow lets you customise your lighting to create a look that's uniquely yours!

Why 24Volt?

Our new range of lighting is 24V, which offers many benefits compared to 12V.

More Efficient

Uses less power to produce the same brightness, saving energy and reducing running costs without compromising on performance or quality.

Cooler Lighting

24V strips run noticeably cooler than 12V, reducing heat build-up and helping components last longer in any environment.

Longer Runs

Supports longer continuous lengths of LED strip, keeping brightness consistent across extended runs, ideal for larger installations and clean designs.

Introducing our new SOB LED Strip

A selection of our new LED Strips are SOB (SMD-On-Board).
Here we look at the benefits of SOB LED Strips.

Contents

- Up to **140 lumens** per watt

- SMD chips mounted via a bracket beneath a **white silicone cover**

- Continuous reel so **no solder joins**

- Seamless, consistent light with **no visible bleed**

- Fewer components and joints **reduce failure risk**

5-Year Warranty

At Sycamore, we stand behind the quality and reliability of our products. That's why we offer a 5-year guarantee* on the majority of our range, ensuring peace of mind for our customers.

*Certain products are not included in this guarantee. Please refer to page 90 for further information.

For full terms and conditions, please visit our website.

LED Strip Lighting

Natural White 4000K

Warm White 2700K

Cool White 6000K

Lunox TriGlow LED Strip
Smooth-Line SOB

• Switch from Warm, Natural or Cool White (Triglow distribution block required)

• SOB Technology (SMD On Board) – Provides a higher luminous efficacy than COB LED strips.

• Perfect for applications where maximum output with lower energy consumption is critical

• Cut marks every 28mm, and any cut pieces can be re-used with the addition of our reconnection cable

• 2m cable on both ends

3mm (d)
8mm (w)
2m — 5m — 2m

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2463-3	Lunox Triglow 3m Reel	24Vdc	6W	2700K/4000K/6000K	288	90 - 100lm	28mm	2m at both ends	£49.20
SY2463-5	Lunox Triglow 5m Reel	24Vdc	6W	2700K/4000K/6000K	288	90 - 100lm	28mm	2m at both ends	£81.60

Accessories

Part Code	Description	RRP Inc VAT
(a) SY5001	Triglow Distribution Block (Dimmable)	£13.20
(b) SY2459/2M	2m Reconnection Distribution Cable	£4.80
(c) SY2459C	30mm Corner Connector	£2.40
(d) SY2459S	Direct Connector	£1.20

(a) (b) (c) (d)

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-15	15W 24Vdc LED Driver (max 2.5m)	£21.60
SY2499-30	30W 24Vdc LED Driver (max 5m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 10m)	£42.00

Compatible lighting controls listed on pages 89 (not dimmable)

ARC TriGlow LED Strip
Super Diffused

- Switch from Warm, Natural or Cool White (Triglow distribution block required)

- Diffused light - silicon encapsulation for a 'spot free' look

- Ideal for handle-less designs or recessing into cabinets or wardrobes

- Cut marks every 50mm

- 2m cable on both ends

triglow

7mm
4mm (white)
5mm (black)

2m ← 3/5m → 2m

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2464B-3	ARC Triglow 3m Reel Black	24Vdc	6W	2700K/4000K/6000K	320	30lm	50mm	2m at both ends	£72.00
SY2464W-3	ARC Triglow 3m Reel White	24Vdc	6W	2700K/4000K/6000K	320	40lm	50mm	2m at both ends	£72.00
SY2464B-5	ARC Triglow 5m Reel Black	24Vdc	6W	2700K/4000K/6000K	320	30lm	50mm	2m at both ends	£120.00
SY2464W-5	ARC Triglow 5m Reel White	24Vdc	6W	2700K/4000K/6000K	320	40lm	50mm	2m at both ends	£120.00

Black ARC

Accessories

(a)

Part Code	Description	RRP Inc VAT
(a) SY5001	**Triglow Distribution Block (Dimmable)**	£13.20

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-15	**15W 24Vdc LED Driver (max 2.5m)**	£21.60
SY2499-30	**30W 24Vdc LED Driver (max 5m)**	£32.40
SY2499-60	**60W 24Vdc LED Driver (max 10m)**	£42.00

Compatible lighting controls listed on pages 89 (not dimmable)

Silk LED Strip
Smooth-Line SOB

- SOB Technology (SMD On Board) - Provides a higher luminous efficacy than COB LED strips.

- Perfect for applications where maximum output with lower energy consumption is critical

- 2m cable on both ends

- Cut marks every 28mm, and any cut pieces can be re-used with the addition of our reconnection cable

3mm (d)

8mm (w)

←—2m—→ ←———— 5m ————→ ←—2m—→

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2458WW-3	Silk 3m Reel Warm White	24Vdc	6W	2700K	288	110 lm	28mm	2m at both ends	£33.60
SY2458NW-3	Silk 3m Reel Natural White	24Vdc	6W	4000K	288	110 lm	28mm	2m at both ends	£33.60
SY2458WW-5	Silk 5m Reel Warm White	24Vdc	6W	2700K	288	110 lm	28mm	2m at both ends	£56.40
SY2458NW-5	Silk 5m Reel Natural White	24Vdc	6W	4000K	288	110 lm	28mm	2m at both ends	£56.40

Accessories

Part Code	Description	RRP Inc VAT
(a) SY2459/2M	2m Reconnection Distribution Cable	£4.80
(b) SY2459C	Corner Connector (30mm flexi)	£2.40
(c) SY2459S	Direct Connector	£1.20

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-15	15W 24Vdc LED Driver (max 2.5m)	£21.60
SY2499-30	30W 24Vdc LED Driver (max 5m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 10m)	£42.00

Cyclix LED Strip
COB

- 2m cable at both ends
- Can be cut at 50mm intervals, any cut strip can be re-used with the addition of our reconnection cable
- Supplied with VHB (Very High Bond) tape

1.7mm (d)

8mm (w)

←2m→ ←5m→ ←2m→

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2410WW	Cyclix 5m Reel Warm White	24Vdc	4W	2700K	420	79 lm	50mm	2m at both ends	£50.40
SY2410NW	Cyclix 5m Reel Natural White	24Vdc	4W	4000K	420	81 lm	50mm	2m at both ends	£50.40

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9044	**2m Reconnection Distribution Cable**	£3.31
(b) SY9023	**Direct Connector**	£1.32
(c) SY9024	**Corner Connector (30mm Flexi)**	£3.02
(d) SY9025	**Corner Connector (Fixed)**	£3.02

Compatible profiles listed on pages 44 - 49

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-8	**8W 24Vdc LED Driver (max 2m)**	£14.40
SY2499-15	**15W 24Vdc LED Driver (max 3.5m)**	£21.60
SY2499-30	**30W 24Vdc LED Driver (max 7.5m)**	£32.40
SY2499-60	**60W 24Vdc LED Driver (max 15m)**	£42.00

Compatible lighting controls listed on page 86 - 89

Lyco LED Strip

- 2m cable at both ends

- Can be cut at 50mm intervals, any cut strip can be re-used with the addition of our reconnection cable

- Supplied with VHB (Very High Bond) tape

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2411WW	Lyco 5m Reel Warm White	24Vdc	4W	2700K	120	103 lm	50mm	2m at both ends	£33.60
SY2411NW	Lyco 5m Reel Natural White	24Vdc	4W	4000K	120	108 lm	50mm	2m at both ends	£33.60

1.6mm (d)

8mm (w)

2m — 5m — 2m

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9044	2m Reconnection Distribution Cable	£3.31
(b) SY9023	Direct Connector	£1.32
(c) SY9024	Corner Connector (30mm Flexi)	£3.02
(d) SY9025	Corner Connector (Fixed)	£3.02

Compatible profiles listed on pages 44 - 49

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (max 2m)	£14.40
SY2499-15	15W 24Vdc LED Driver (max 3.5m)	£21.60
SY2499-30	30W 24Vdc LED Driver (max 7.5m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 15m)	£42.00

Compatible lighting controls listed on page 86 - 89

Veil LED Strip
Ultra-Slim Smooth-Line SOB

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2460WW-3	Veil 3m Reel Warm White	24Vdc	6W	2700K	288	100 lm	28mm	2m at both ends	£35.52
SY2460NW-3	Veil 3m Reel Natural White	24Vdc	6W	4000K	288	108 lm	28mm	2m at both ends	£35.52
SY2460WW-5	Veil 5m Reel Warm White	24Vdc	6W	2700K	288	100 lm	28mm	2m at both ends	£59.40
SY2460NW-5	Veil 5m Reel Natural White	24Vdc	6W	4000K	288	108 lm	28mm	2m at both ends	£59.40

3mm (d)

4.5mm (w)

← 2m → ← 5m → ← 2m →

- Ultra slim - suitable for narrow spaces

- SOB Technology (SMD On Board) - Provides a higher luminous efficacy than COB LED strips.

- Perfect for applications where maximum output with lower energy consumption is critical

- 2m cable on both ends

- Cut marks every 28mm

- Slim-line profiles available (surface, recessed & recessed angled), listed over the page

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-15	15W 24Vdc LED Driver (max 2.5m)	£21.60
SY2499-30	30W 24Vdc LED Driver (max 5m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 10m)	£42.00

Strim
Slim Profiles for Veil LED Strip

- 2.5m length

- Includes opal diffuser

- Includes 4 end caps per 2.5m

- Surface mounted also includes 4 mounting clips per 2.5m

- Spare end caps and mounting clips are available to purchase separate

Surface

Part Code	Description	RRP Inc VAT
SY8301	2.5m Strim Surface Profile Aluminium/Opal Diffuser	£14.40

Recessed

| Part Code	Description	RRP Inc VAT
SY8302	2.5m Strim Recessed Profile Aluminium/Opal Diffuser	£14.40

Recessed Angled

Part Code	Description	RRP Inc VAT
SY8303	2.5m Strim Recessed Angled Profile Aluminium/Opal Diffuser	£24.00

Vibra RGB LED Strip

- RGB colour changing strip enables the user to choose from a wide variety of colours

- Use a hand held remote control, the wall mounted controller, a smart-phone or tablet, or a voice assistant such as Amazon Alexa, using a free downloadable App.

- This product also utilises smooth dimming technology, so the unit can be set to totally suit customer requirements.

10mm (w)

2mm (d)

2m — 5m — 2m

Part Code	Description	Voltage	Wattage Per Metre	LED's Per Metre	Cut Marks	Cable Length	RRP Inc VAT
SY2465	Vibra RGB 5m Reel	24Vdc	14W	576	62.5mm	2m at both ends	£156.58

Accessories

Part Code	Description	RRP Inc VAT
(a) SY7538B	Receiver for RGB Strip	£55.69
(b) SY8763	4 Zone Remote	£30.00
(c) SY8819B	1 Zone Round Remote	£28.36
(d) SY2453	2m Reconnection Distribution Cable	£4.60
(e) SY2455	30mm Corner Connector (Flexi)	£4.92
(f) SY2452	Direct Connector	£2.51
(g) SY7341A	100mm Bridge Cable	£2.56
(g) SY7343A	1000mm Bridge Cable	£4.85
(g) SY7345A	5000mm Bridge Cable	£7.43
(h) SY7347A	Y Splitter	£5.72

Compatible profiles listed on pages 44 - 49

(a) (b)

(c) (d)

(e) (f)

(g) (h)

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-30	30W 24Vdc LED Driver (max 2m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 4m)	£42.00
SY7828A/150W	150W 24Vdc LED Driver (max 10m)	£65.22

Glowsheet LED

A thin, light and flexible LED light source that can be used to backlight a variety of materials, from printed fabrics and duratrans, to thick pieces of marble and onyx.

- Backlight various surfaces including natural stone and solid surfaces such as translucent Corian Slate & Quartz, and lightboxes

- Easy to cut down to size, and can wrap around curves and edges

- Customise the shape easily around obstacles with a knife or scissors

- Simple to join sheets together using the supplied cables

Approximate RRP price per square metre £1114.26

Contact our Tech Team for further information on 01132 866686 or email tech@sycamoreled.com

Modex Exa Cut-Anywhere
LED Strip in Surface Profile

- LED strip integrated into a 2.5m profile

- Cut the profile anywhere to make customisable lengths

- Cut pieces can be reused with the addition of the power lead

- Corner cable available to negotiate angles

- Sensors are available to slot directly into the ends of the profile. Choose from a swipe sensor or touch switch (which also allow dimming), or a PIR sensor which switches the light on when it detects nearby motion

- Anthracite finish

Cut
Anywhere

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2481WW	Modex Exa Surface Warm White 2.5m	24Vdc	7.5W	2700K	150	39 lm	Anywhere	Separate	£48.00
SY2481NW	Modex Exa Surface Natural White 2.5m	24Vdc	7.5W	4000K	150	43 lm	Anywhere	Separate	£48.00

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-15	15W 24Vdc LED Driver (max 2m)	£21.60
SY2499-30	30W 24Vdc LED Driver (max 4m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 8m)	£42.00

Accessories

Part Code	Description	RRP Inc VAT
(a) SY2481LH	Power Lead with End Cap (Left)	£3.60
(b) SY2481RH	Power Lead with End Cap (Right)	£3.60
(c) SY2481C	Profile to Profile Connector 200mm	£3.60
(d) SY2481M	Profile to Profile Connector Direct	£2.40
(e) SY2481MC	Mounting Clips (Pack of 10)	£3.60
(f) SY2481-IR	IR Sensor (+ Dimming) with End Cap	£12.00
(g) SY2481-TS	Touch Switch (+ Dimming) with End Cap	£12.00
(h) SY2481-PIR	PIR Sensor with End Cap	£14.40

40mm
4mm
16mm
10.5mm

(a) SY2481LH   (b) SY2481RH   (c) SY2481C   (d) SY2481M

(e) SY2481MC   (f) SY2481-IR   (g) SY2481-TS   (h) SY2481-PIR

Alternative compatible lighting controls listed on page 86 - 89

Modex Intra Cut-Anywhere
## LED Strip in Recessed Profile

- LED strip integrated into a 2.5m profile

- Cut the profile anywhere to make customisable lengths

- Cut pieces can be reused with the addition of the power lead

- Corner connector available to negotiate 90° angles

- Sensors are available to slot directly into the ends of the profile. Choose from a swipe sensor or touch switch (which also allow dimming), or a PIR sensor which switches the light on when it detects nearby motion

- Anthracite finish

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2480WW	Modex Intra Recessed Warm White 2.5m	24Vdc	7.5W	2700K	150	33 lm	Anywhere	Separate	£48.00
SY2480NW	Modex Intra Recessed Natural White 2.5m	24Vdc	7.5W	4000K	150	36 lm	Anywhere	Separate	£48.00

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-15	15W 24Vdc LED Driver (max 2m)	£21.60
SY2499-30	30W 24Vdc LED Driver (max 4m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 8m)	£42.00

← 46mm →
10mm

15mm
10.1mm
17mm

Accessories

Part Code	Description	RRP Inc VAT
(a) SY2480EC	Power Lead with End Cap	£3.60
(b) SY2480L	L-Shaped Corner Connector	£3.60
(c) SY2480M	Profile to Profile Connector	£2.40
(d) SY2480MC	Mounting Clips (Pack of 10)	£3.60
(e) SY2480-IR	IR Sensor (+ Dimming) with End Cap	£12.00
(f) SY2480-TS	Touch Switch (+ Dimming) with End Cap	£12.00
(g) SY2480-PIR	PIR Sensor with End Cap	£14.40

(a) SY2480EC   (b) SY2480L   (c) SY2480M   (d) SY2480MC

(e) SY2480-IR   (f) SY2480-TS   (g) SY2480-PIR

Cut Anywhere

Modex Zenith Cut-Anywhere
LED Strip in Angled Profile

- LED strip integrated into a 2.5m profile

- Cut the profile anywhere to make customisable lengths

- Cut pieces can be reused with the addition of the power lead

- Anthracite finish

10mm

23mm

Part Code	Description	Voltage	Wattage Per Metre	Kelvins	LED's Per Metre	Lumens Per Watt	Cut Marks	Cable Length	RRP Inc VAT
SY2482WW	Modex Zenith Angled Warm White 2.5m	24Vdc	7.5W	2700K	150	35 lm	Anywhere	Separate	£45.00
SY2482NW	Modex Zenith Angled Natural White 2.5m	24Vdc	7.5W	4000K	150	40 lm	Anywhere	Separate	£45.00

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-15	15W 24Vdc LED Driver (max 2m)	£21.60
SY2499-30	30W 24Vdc LED Driver (max 4m)	£32.40
SY2499-60	60W 24Vdc LED Driver (max 8m)	£42.00

Accessories

Part Code	Description	RRP Inc VAT
(a) SY2482LH	Power Lead with End Cap (Left)	£3.60
(b) SY2482RH	Power Lead with End Cap (Right)	£3.60
(c) SY2482MC	Mounting Clips (Pack of 10)	£6.00
(d) SY2498SD	Pulse Single Door Sensor	£14.40
(d) SY2498DD	Pulse Double Door Sensor	£21.60

Further compatible lighting controls listed on pages 86 – 89

(a) SY2482LH   (b) SY2482RH

(c) SY2482MC   (d) SY2498SD/DD

Cut Anywhere

Slynt
Surface Profile

- 2m or 2.5m length

- Includes opal diffuser

- Includes end caps (2 for 2m, 4 for 2.5m)

- Includes mounting clips (4 for 2m, 6 for 2.5m)

- Spare end caps and mounting clips are available to purchase separate

| Part Code	Description	RRP Inc VAT
SY7482	2m Surface Profile Aluminium/Opal Diffuser	£19.85
SY7482MB	2m Surface Profile Matt Black/Opal Diffuser	£24.48
SY7482/2.5M	2.5m Surface Profile Aluminium/Opal Diffuser	£28.08
SY7482MB/2.5M	2.5m Surface Profile Matt Black/Opal Diffuser	£30.24

17mm
12mm
7mm

Revia
Recessed Profile

- 2m or 2.5m length

- Includes opal diffuser

- Includes end caps (2 for 2m, 4 for 2.5m)

- Spare end caps are available to purchase separate

| Part Code	Description	RRP Inc VAT
SY7392A	2m Recessed Profile Aluminium/Opal Diffuser	£20.09
SY7392MB	2m Recessed Profile Matt Black/Opal Diffuser	£24.62
SY7392A/2.5M	2.5m Recessed Profile Aluminium/Opal Diffuser	£23.52
SY7392MB/2.5M	2.5m Recessed Profile Matt Black/Opal Diffuser	£32.16

17.5mm

14mm

6mm

8mm

23mm

Prizma
Angled Profile

- 2m or 2.5m length

- Includes opal diffuser

- Includes end caps (2 for 2m, 4 for 2.5m)

- Includes mounting clips (4 for 2m, 6 for 2.5m)

- Spare end caps and mounting clips are available to purchase separate

Part Code	Description	RRP Inc VAT
SY7409A	2m Angled Profile Aluminium/Opal Diffuser	£22.32
SY7409BL/C	2m Angled Profile Matt Black/Opal Diffuser	£26.40
SY7409A/2.5M	2.5m Angled Profile Aluminium/Opal Diffuser	£26.04
SY7409BL/2.5M	2.5m Angled Profile Matt Black/Opal Diffuser	£30.84

16mm

10mm

16mm

LED Cabinet Lighting

Nexa TriGlow

Black/Natural White 4000K

Brass/Warm White 2700K

Aluminium/Natural White 4000K

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2426AL	Nexa TriGlow Recessed Aluminium	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£20.00
SY2426BL	Nexa TriGlow Recessed Black	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£20.00
SY2426BR	Nexa TriGlow Recessed Brass	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£25.10
SY2434AL	Nexa TriGlow Surface Aluminium	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£22.22
SY2434BL	Nexa TriGlow Surface Black	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£22.22
SY2434BR	Nexa TriGlow Surface Brass	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£27.32

WW NW CW

SYCAMORE

triglow

Triglow switch on the rear of the fitting

65mm
14mm
Ø58mm cut out

65mm
16mm

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-8	**8W 24Vdc LED Driver (1 – 4 lights)**	£14.40
SY2499-15	**15W 24Vdc LED Driver (1 – 6 lights)**	£21.60

Compatible lighting controls listed on page 86 - 89

Aluminium/Natural White 4000K

Nimbus TriGlow

Aluminium/Natural White 4000K

Black/Warm White 2700K

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2435AL	Nimbus TriGlow Tri-Light Aluminium	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£27.62
SY2435BL	Nimbus TriGlow Tri-Light Black	24Vdc	2W	2700K/4000K/6000K	150 – 180lm	120°	2m	£32.72

140mm

26mm

170mm

WW NW CW

SYCAMORE

triglow

Triglow switch on the rear of the fitting

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-8	**8W 24Vdc LED Driver (1 – 4 lights)**	£14.40
SY2499-15	**15W 24Vdc LED Driver (1 – 6 lights)**	£21.60

Compatible lighting controls listed on page 86 – 89

Black/Natural White 4000K

Forma TriGlow

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2428AL	Forma TriGlow Aluminium	24Vdc	4W	2700K/4000K/6000K	224 – 255lm	120°	2m	£23.04
SY2428BL	Forma TriGlow Black	24Vdc	4W	2700K/4000K/6000K	224 – 255lm	120°	2m	£23.04
SY2428BR	Forma TriGlow Brass	24Vdc	4W	2700K/4000K/6000K	224 – 255lm	120°	2m	£23.04

triglow

Triglow switch easily accessible
on the front of the fitting

6.8mm

175mm

50mm

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 2 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 3 lights)	£21.60
SY2499-30	30W 24Vdc LED Driver (1 – 6 lights)	£32.40

Compatible lighting controls listed on page 89 (not suitable for dimming)

Aluminium/Natural White 4000K

Svelta TriGlow

Black/Warm White 2700K

Aluminium/Natural White 4000K

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2429AL	Svelta TriGlow Aluminium	24Vdc	4W	2700K/4000K/6000K	230 – 270lm	120°	2m	£25.56
SY2429BL	Svelta TriGlow Black	24Vdc	4W	2700K/4000K/6000K	230 – 270lm	120°	2m	£25.56

triglow

Triglow switch easily accessible
on the front of the fitting

6.8mm

200mm

40mm

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 - 2 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 - 3 lights)	£21.60
SY2499-30	30W 24Vdc LED Driver (1 - 6 lights)	£32.40

Compatible lighting controls listed on page 89 (not suitable for dimming)

triglow

Tetra TriGlow

Aluminium/Warm White 2700K

Aluminium/Natural White 4000K

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2430	Tetra TriGlow Aluminium	24Vdc	3W	3000K/4000K/6000K	250 – 260lm	120°	2m	£19.20

Aluminium/Natural White 4000K

8.5mm

100mm

100mm

triglow

Triglow switch easily accessible
underneath the magnetic bezel

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 2 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 5 lights)	£21.60
SY2499-30	30W 24Vdc LED Driver (1 – 6 lights)	£32.40

Compatible lighting controls listed on page 89 (not suitable for dimming)

triglow

Circa TriGlow

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2431	Circa TriGlow Aluminium	24Vdc	1.8W	3000K/4000K/6000K	100 - 110lm	120°	2m	£14.40

triglow

Triglow switch easily accessible underneath the magnetic bezel

6.5mm

75mm

75mm

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 4 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 6 lights)	£21.60

Compatible lighting controls listed on page 86 - 89

Aluminium/Natural White 4000K

Aluminium/Natural White 4000K

Orbit Classic

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2402BN/WW	Orbit Classic Recessed Warm White	24Vdc	2.3W	3000K	217lm	120°	2m	£8.58
SY2402BN/NW	Orbit Classic Recessed Natural White	24Vdc	2.3W	4000K	242lm	120°	2m	£8.58
SY2402BN/CW	Orbit Classic Recessed Cool White	24Vdc	2.3W	5000K	238lm	120°	2m	£8.58
SY2420WW	Orbit Classic Surface Warm White	24Vdc	2.3W	3000K	217lm	120°	2m	£10.80
SY2420NW	Orbit Classic Surface Natural White	24Vdc	2.3W	4000K	242lm	120°	2m	£10.80
SY2420CW	Orbit Classic Surface Cool White	24Vdc	2.3W	5000K	238lm	120°	2m	£10.80

65mm
12.4mm
Ø 57mm cut out

65mm
16mm

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 3 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 6 lights)	£21.60

Compatible lighting controls listed on page 86 – 89

Orion Classic

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2421WW	Orion Classic Warm White	24Vdc	2.3W	3000K	217lm	120°	2m	£12.24
SY2421NW	Orion Classic Natural White	24Vdc	2.3W	4000K	242lm	120°	2m	£12.24
SY2421CW	Orion Classic Cool White	24Vdc	2.3W	5000K	238lm	120	2m	£12.24

140mm
26mm
170mm

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 3 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 6 lights)	£21.60

Compatible lighting controls listed on page 86 – 89

Prices listed are R.R.P including VAT

Prices listed are R.R.P including VAT

Aluminium/Natural White 4000K

Cubra Classic

Aluminium/Warm White 2700K

Aluminium/Cool White 6000K

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2407WW	Cubra Classic Warm White	24Vdc	3.5W	3000K	290lm	120°	1.5m	£13.02
SY2407NW	Cubra Classic Natural White	24Vdc	3.5W	4000K	295lm	120°	1.5m	£13.02
SY2407CW	Cubra Classic Cool White	24Vdc	3.5W	6000K	300lm	120°	1.5m	£13.02

6.5mm

99mm

99mm

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 2 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 4 lights)	£21.60
SY2499-30	30W 24Vdc LED Driver (1 – 6 lights)	£32.40

Compatible lighting controls listed on page 86 – 89

Prices listed are R.R.P including VAT

Prices listed are R.R.P including VAT

Aluminium/Natural White 4000K

Aluminium/Natural White 4000K

Zentra Classic

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2408WW	Zentra Classic Warm White	24Vdc	4W	3000K	290lm	120°	2m	£20.88
SY2408NW	Zentra Classic Natural White	24Vdc	4W	4000K	295lm	120°	2m	£20.88
SY2408CW	Zentra Classic Cool White	24Vdc	4W	5000K	300lm	120°	2m	£20.88

6.5mm

200mm

40mm

LED Drivers

| Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 2 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 3 lights)	£21.60
SY2499-30	30W 24Vdc LED Driver (1 – 6 lights)	£32.40

Compatible lighting controls listed on page 86 – 89

Ovalo Classic

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Beam Angle	Cable Length	RRP Inc VAT
SY2414BN/WW	Ovalo Classic Warm White	24Vdc	2W	3000K	125lm	120°	1.5m	£9.06
SY2414NW	Ovalo Classic Natural White	24Vdc	2W	4000K	130lm	120°	1.5m	£9.06
SY2414BN/CW	Ovalo Classic Cool White	24Vdc	2W	6000K	135lm	120°	1.5m	£9.06

7mm

74mm

74mm

LED Drivers

Part Code	Description	RRP Inc VAT
SY2499-8	8W 24Vdc LED Driver (1 – 4 lights)	£14.40
SY2499-15	15W 24Vdc LED Driver (1 – 6 lights)	£21.60

Compatible lighting controls listed on page 86 – 89

LED Plinth Lighting

triglow

Luna TriGlow

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Cable Length	RRP Inc VAT
SY2432AL-4	Luna 4 Light Kit Aluminium**	24Vdc	0.7W	2700K/4000K/6000K	48 - 52lm	750mm*	£55.20
SY2432AL	Luna Individual Light Aluminium	24Vdc	0.7W	2700K/4000K/6000K	48 - 52lm	750mm*	£10.26
SY2432BL-B	Black Cover Only	24Vdc	-	-	-	-	£6.00

14mm

33mm ø28mm

triglow

Triglow switch on the rear
of the fitting

* Cable is daisy chain
**Kit includes driver

Compatible lighting controls listed on page 89 (not suitable for dimming)

triglow

Plana TriGlow

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	Cable Length	RRP Inc VAT
SY2433AL-4	Plana 4 Light Kit Aluminium**	24Vdc	0.7W	2700K/4000K/6000K	46 - 53lm	750mm*	£55.20
SY2433AL	Plana Individual Light Aluminium	24Vdc	0.7W	2700K/4000K/6000K	46 - 53lm	750mm*	£10.26
SY2433BL-B	Black Cover Only	24Vdc	-	-	-	-	£6.00

33mm   14mm

ø28mm

triglow

Triglow switch on the rear
of the fitting

* Cable is daisy chain
**Kit includes driver

Compatible lighting controls listed on page 89 (not suitable for dimming)

Pendant Lighting

Parma LED ○ ●
Concreto ●
Eden ●
Colorado ● ●
Avon ●
Hudson ●
Madeira 🔮
Yukon ●

Part Code	Description	Finish	Wattage	Lamp Type	Cable Length	IP Rating	RRP Inc VAT
SY7809WH	Parma LED Pendant Natural White	Matt White/Copper	8W	Built in LED	1.5m Adjustable	IP20	£94.07
SY7809BL	Parma LED Pendant Natural White	Matt Black/Copper	8W	Built in LED	1.5m Adjustable	IP20	£94.07
SY7812GW	Concreto E27 Pendant	Concrete Effect	Lamp purchased separate	E27	1.5m Adjustable	IP20	£80.95
SY8823BL	Eden E27 Pendant	Matt Black	Lamp purchased separate	E27	1.5m Adjustable	IP44	£71.00
SY8824BL	Colorado E27 Pendant	Matt Black	Lamp purchased separate	E27	1.5m Adjustable	IP44	£142.00
SY8824AB	Colorado E27 Pendant	Antique Brass	Lamp purchased separate	E27	1.5m Adjustable	IP44	£142.00

Part Code	Description	Finish	Wattage	Lamp Type	Cable Length	IP Rating	RRP Inc VAT
SY8825BL	Avon E27 Pendant	Matt Black	Lamp purchased separate	E27	1.5m Adjustable	IP44	£155.00
SY8826	Hudson E27 Pendant	Chrome Glass	Lamp purchased separate	E27	1.5m Adjustable	IP44	£90.00
SY8827	Madeira E27 Pendant	Holographic Glass*	Lamp purchased separate	E27	1.5m Adjustable	IP44	£116.00
SY8828CC	Yukon E27 Pendant	Chrome	Lamp purchased separate	E27	1.5m Adjustable	IP44	£106.00

*Please note each shade is unique in design

370mm / 230mm

300mm / 140mm

300mm / 250mm

250mm / 300mm

210mm / 350mm

250mm / 230mm

250mm / 230mm

180mm / 280mm

Lamp Options

Part Code	Description	Kelvins	RRP Inc VAT
(a) CR7239	E27 Filament 5W LED Lamp (Dimmable) Round	2700K	£9.00
(b) SY7986/E27GLS	E27 Filament 5W LED Lamp (Dimmable) GLS	2700K	£9.00
(c) SY7986/E27	E27 Filament 5W LED Lamp (Dimmable) Candle	2700K	£9.00
(d) CR4290	E27 Filament 5W LED Lamp (Dimmable) Antique Globe G95	2200K	£8.20
(e) CR4313	E27 Filament 7.5W LED Lamp (Dimmable) Antique Globe G125	2200K	£11.98
(f) CR4238	E27 Filament 5W LED Lamp (Dimmable) Antique Squirrel Cage ST64	2200K	£8.46

(a) (b) (c) (d) (e) (f)

Compatible lighting controls listed on page 87

Compatible lighting controls listed on page 87

Nile ●   Clyde ○   Ohio ○   Danube ○

| Part Code	Description	Finish	Wattage	Lamp Type	Cable Length	IP Rating	RRP Inc VAT
SY8829	Nile E27 Pendant	Smoky Black Glass	Lamp purchased separate	E27	1.5m Adjustable	IP44	£149.00
SY8830AC	Clyde E27 Pendant	Clear Glass	Lamp purchased separate	E27	1.5m Adjustable	IP44	£173.00
SY8831	Ohio E27 Pendant	Clear Glass	Lamp purchased separate	E27	1.5m Adjustable	IP44	£97.00
SY8832	Danube E27 Pendant	Clear & Smoky Glass	Lamp purchased separate	E27	1.5m Adjustable	IP44	£103.00

Compatible lighting controls listed on page 87

Yuna ●   Volta ○●   Dawson ●   Chama ●●

Part Code	Description	Finish	Wattage	Lamp Type	Cable Length	IP Rating	RRP Inc VAT
SY8834B	Yuna E27 Pendant	Matt Black	Lamp purchased separate	E27	1.5m Adjustable	IP44	£94.50
SY8835B	Volta E27 Pendant	Matt Black	Lamp purchased separate	E27	1.5m Adjustable	IP44	£94.50
SY8835W	Volta E27 Pendant	Matt White	Lamp purchased separate	E27	1.5m Adjustable	IP44	£94.50
SY8836	Dawson E27 Pendant	Matt Black	Lamp purchased separate	E27	1.5m Adjustable	IP44	£94.50
SY8837B	Chama E27 Pendant	Matt Black	Lamp purchased separate	E27	1.5m Adjustable	IP44	£94.50
SY8837G	Chama E27 Pendant	Gold	Lamp purchased separate	E27	1.5m Adjustable	IP44	£94.50

Lamp Options

Part Code	Description	Kelvins	RRP Inc VAT
(a) CR7239	E27 Filament 5W LED Lamp (Dimmable) Round	2700K	£9.00
(b) SY7986/E27GLS	E27 Filament 5W LED Lamp (Dimmable) GLS	2700K	£9.00
(c) SY7986/E27	E27 Filament 5W LED Lamp (Dimmable) Candle	2700K	£9.00
(d) CR4290	E27 Filament 5W LED Lamp (Dimmable) Antique Globe G95	2200K	£8.20
(e) CR4313	E27 Filament 7.5W LED Lamp (Dimmable) Antique Globe G125	2200K	£11.98
(f) CR4238	E27 Filament 5W LED Lamp (Dimmable) Antique Squirrel Cage ST64	2200K	£8.46

Compatible lighting controls listed on page 87

Riga Flex
Fire Rated Downlight

Part Code	Description	Voltage	Wattage	Kelvins	Total Lumens	IP Rating	Beam Angle	RRP Inc VAT
SY9067WH	Riga Flex White	240V	Switchable 4/6/8W	Switchable 2700K/3000K/4000K/6000K	4W >400lm 6W >600lm 8W > 800lm	IP65	60°	£20.40

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9068CC	Chrome Magnetic Bezel	£3.00
(b) SY9068BN	Brushed Nickel Magnetic Bezel	£3.00
(c) SY9068BK	Black Magnetic Bezel	£3.00
(d) SY9068G	Gold Magnetic Bezel	£3.00
(e) SY9068CO	Copper Magnetic Bezel	£3.00

(a) (b) (c)
(d) (e)

40mm / 87mm

Cut out size 70mm

Riga Flex Tilt
Fire Rated Downlight

Part Code	Description	Voltage	Wattage	Kelvins	Lumens	IP Rating	Beam Angle	RRP Inc VAT
SY9069WH	Riga Flex Tilt White	240V	Switchable 4/6/8W	Switchable 2700K/3000K/4000K/6000K	4W – 440lm 6W – 690lm 8W – 920lm	IP65	60°	£26.40

Accessories

Part Code	Description	RRP Inc VAT
(a) SY9070CC	Chrome Bezel	£4.80
(b) SY9070BN	Brushed Nickel Bezel	£4.80
(c) SY9070BL	Black Bezel	£4.80
(d) SY9070BR	Brass Bezel	£4.80

(a) (b) (c)
(d)

38mm / 87mm

Cut out size 68 – 72mm

Prices listed are R.R.P including VAT

Prices listed are R.R.P including VAT

PowerTech Pro
With Wireless & USB Charging

⬤ ⚫

84mm
243mm
1.2mm
ø95mm
101mm

PowerTech
With USB Charging

⬤ ⬤ ⚫

95mm
260mm
350mm
85mm
ø102mm

Part Code	Description	Finish	Sockets	USB	Charging	Cable	RRP Inc VAT
SY9058SS	PowerTech Pro	Stainless Steel	3 UK	1 X USB-C (3.0A) & 1 X USB-A (2.1A)	Wireless & USB	2m	£229.09
SY9058BL	PowerTech Pro	Black	3 UK	1 X USB-C (3.0A) & 1 X USB-A (2.1A)	Wireless & USB	2m	£247.09

Part Code	Description	Finish	Sockets	USB	Charging	Cable	RRP Inc VAT
SY7192SI	PowerTech	Silver	3 UK	1 X USB-C (3.0A) & 1 X USB-A (2.1A)	USB	1.5m	£75.54
SY7192STST	PowerTech	Stainless Steel	3 UK	1 X USB-C (3.0A) & 1 X USB-A (2.1A)	USB	1.5m	£82.20
SY7192BK	Powertech	Black	3 UK	1 X USB-C (3.0A) & 1 X USB-A (2.1A)	USB	1.5m	£75.54

Prices listed are R.R.P including VAT

Prices listed are R.R.P including VAT

EVOline BackFlip

Black Steel	Black Glass (Matt)	Black Glass	Brass Effect	Grey Ceramic	Stainless Steel	White Steel	White Glass

Part Code	Description	Finish	Sockets	USB	Cable	RRP Inc VAT
SY9736BS	EVOline BackFlip	Black Steel	2 UK	1 X USB-C	3m with Plug	£431.50
SY9736MB	EVOline BackFlip	Black Glass (Matt)	2 UK	1 X USB-C	3m with Plug	£535.21
SY9736BK	EVOline BackFlip	Black Glass	2 UK	1 X USB-C	3m with Plug	£494.36
SY9736BE	EVOline BackFlip	Brass Effect	2 UK	1 X USB-C	3m with Plug	£409.50
SY9736GC	EVOline BackFlip	Grey Ceramic	2 UK	1 X USB-C	3m with Plug	£495.37
SY9736SS	EVOline BackFlip	Stainless Steel	2 UK	1 X USB-C	3m with Plug	£342.72
SY9736WS	EVOline BackFlip	White Steel	2 UK	1 X USB-C	3m with Plug	£431.50
SY9736WH	EVOline BackFlip	White Glass	2 UK	1 X USB-C	3m with Plug	£508.08

Surface Depth: 10mm – 40mm

Cut Out Size: 88mm x 215mm

Alexa! Turn Kitchen Lights On!

Wireless Smart Lighting

Control Lighting Easily - 5 different ways to switch and dim;

- Wireless Wall Switches or Panels

- Hand-held Remote Control

- Smartphone or Tablet (using free app)

- Voice Control Assistant (Amazon Alexa or Google Assistant)

24Vdc
Receiver

Part Code	Description	RRP Inc VAT
SY7542B	24Vdc Receiver (on/off + dimming)	£51.36

240V
Receiver

Part Code	Description	RRP Inc VAT
SY9080	240V Receiver (on/off + dimming)	£52.04

Switches

These switches turn connected lights on and off, and dim by pressing and holding the relevant switch. Includes push module which makes the switches wireless. CR2032 battery (included).

Backbox required, purchased separate.

Part Code	Description	RRP Inc VAT
SY9081/1	1G Switch	£20.59
SY9081/2	2G Switch	£26.12
SY9081/3	3G Switch	£31.24

Remote Control

Control and dim up to 4 different zones of lighting. Scene saving button to save your favourite settings. Includes adhesive-backed wall holder and 2 x AAA batteries.

| Part Code	Description	RRP Inc VAT
SY9565A	4 Zone Remote	£16.80

Wall Mounted Switches

Turn on and off, and dim one zone of lighting. Multiple receivers can be paired to one controller.

These panels require no wiring, and the round switch can be removed and used as a hand-held remote, simply detach from the magnetic base.

Part Code	Description	RRP Inc VAT
SY8818W	Wall Plate White	£25.20
SY8818B	Wall Plate Black	£25.20

Pulse
Drivers

- Integrated sensor port – choose from a Touch Sensor, Door Sensor or PIR sensor.

- Integrated connector ports

Simply plug your sensor directly into the Pulse driver of your choice

Integrated connector ports for a neat and compact solution

Part Code	Description	Max Wattage	Number of Ports	Dimensions	RRP Inc VAT
SY2499-8	Pulse 8W 24Vdc LED Driver	8W	4	104mm (w) x 48mm (d) x 16.5mm (h)	£14.40
SY2499-15	Pulse 15W 24Vdc LED Driver	15W	6	104mm (w) x 48mm (d) x 16.5mm (h)	£21.60
SY2499-30	Pulse 30W 24Vdc LED Driver	30W	6	154mm (w) x 55mm (d) x 16.5mm (h)	£32.40
SY2499-60	Pulse 60W 24Vdc LED Driver	60W	6	154mm (w) x 55mm (d) x 16.5mm (h)	£42.00
SY2498	2m Mains Cable with UK 3 Pin Plug			2000mm	£7.20

Pulse
Integrated Sensors

- Simple plug and play system – all sensors plug directly into any of our Pulse drivers

- Can be recessed or surface mounted

Surface mounted housing included

Touch Sensor

- Touch on/off
- Touch and hold to dim

Door Sensor

- Automatically switches lights on/off when door is opened/closed
- 1 – 3cm detection range

Motion Sensor

- Automatically switches lights on when movement is sensed
- 1 – 3m detection range
- 90˚ detection angle
- 30 second delay timer

Part Code	Description	RRP Inc VAT
SY2498T	Touch Sensor	£12.00

Part Code	Description	RRP Inc VAT
SY2498SD	Single Door Sensor	£14.40
SY2498DD	Double Door Sensor	£21.60

Part Code	Description	RRP Inc VAT
SY2498PIR	Motion Sensor	£16.80

Important Information

Guarantee

At Sycamore, we stand behind the quality and reliability of our products. That's why we offer a 5-year guarantee on the majority of our range, ensuring peace of mind for our customers.

This guarantee excludes power ports, cables, lamps & lighting controls, which have a 1 year guarantee. For full terms and conditions, please visit our website.

Delivery

A carriage charge of £8.50 will be added to all invoices on orders of under £150.00 excluding VAT to UK mainland addresses. All offshore islands and EC countries will incur a separate delivery charge, based on the weight of the total order. Please note administration and delivery charges are subject to change without prior notice.

Open a Trade Account

Sycamore are a trade only company. To apply for a trade account with us please fill in our online form on our website. For any queries about opening an account with us please contact our sales team.

T & C's

We do our very best to make sure everything in this catalogue is accurate and up to date at the time of printing. However, mistakes can occasionally happen, and we can't take responsibility for any loss or inconvenience caused by an error or omission.

From time to time, product details might change slightly as we make improvements, so what you receive may vary a little from the pictures or descriptions shown here. Colours are represented as closely as possible, but exact matches aren't always guaranteed.

For the full details of our terms and conditions, please visit our website.

Get in touch

SycamoreLED.com

Unit 5A, Helios 47, 3 Isabella Road

Garforth, Leeds, LS25 2DY, UK

Call us on +44 (0)113 286 6686

Email sales@sycamoreLED.com

www.sycamoreLED.com

Follow us on social media for exciting news and updates!